

RAINBOWS BAKBAK AND SARI SILK ON NON-WOVEN BACKING









NB: The portrayed colours may differ from reality.

References RAA1XX Composition: bakbak and sari silk on non-woven backing Weight: $\pm 790 \text{g/m}^2 (\pm 26,86 \text{ oz/sq yd})$



Width of the wallcovering: 110 cm (± 43" 3/10).



Fire resistant: EU: D, s3-d2



Moderate light resistance.



Sold by cut length.



Ecological.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall.



Pattern repeat is 0 cm (0") and the design does not need to be matched.

RAA1XX:

Important: the silk strips are recycled fabrics. The colours are random, and every piece of wallcovering is therefore different and unique. Your order will differ from the samples in the pattern book.



RAINBOWS CRUSHED PAPER ON NON-WOVEN BACKING











NB: The portrayed colours may differ from reality.

References RAA2XX Composition:crushed paper on non-woven backing Weight: ± 380g/m² (± 12,92 oz/sq yd)



Width of the wallcovering: 110 cm (\pm 43" 3/10).



Fire resistant: EU: D, s3-d2



Light resistant: Xeno test 6-7.



Sold by cut length.



Ecological.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, moisten the back of the wallcovering.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



RAINBOWS NON-WOVEN TEXTILE WALLCOVERING























RAA315

RAA313





RAA307

NB: The portrayed colours may differ from reality.

References RAA3XX

Composition: mixture of cellulose and polyester.

Weight: $\pm 196 \text{ g/m}^2 (\pm 6,53 \text{ oz/sq yd})$

The wallcovering can be installed horizontally or vertically. Custom colouring on request.



Width of the wallcovering: $100 \text{ cm } (\pm 39" 1/3).$



Sold by cut length.



EU: B, s1-d0 US: class A



Light resistant: Xeno test 6-7.



Spongeable during installation.



Washable after installation.



Breathable.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Manufactured with recycled fibres.



Printed with solar energy.



Ecological. Pvc free!



Product complying with the Council Directive 96/98/ EC on Marine Equipment.



Pattern repeat is 0 cm (0") and the design does not need to be matched.



This design requires reverse hanging.





RAINBOWS NON-WOVEN TEXTILE WALLCOVERING

























NB: The portrayed colours may differ from reality.

References RAA4XX

Composition: mixture of cellulose, polyester and sisal fibers.

Weight: ± 146 g/m² (± 4,26 oz/sq yd)

The wallcovering can be installed horizontally or vertically.

Custom colouring on request.



Width of the wallcovering: 100 cm (± 39" 1/3).



Sold by cut length.



Fire resistant: EU: B, s1-d0 US: class A



Light resistant: Xeno test 6-7.



Spongeable during installation.



Washable after installation.



Breathable.



Apply a ready mixed PVA or EVA clear adhesive directly to the wall, no need to humidify the back of the wallcovering.



Printed with solar energy.



Ecological. Pvc free!



Pattern repeat is 0 cm (0") and the design does not need to be matched.

