


# Hombre - Long

CONFIGURED BY  
Anthony Frank Keeler  
Toronto, CAN | 1.20.21 PM  
April 11, 2022



## DESCRIPTION

No stranger to the lighting world, Keeler worked for internationally acclaimed interior design studios and innovative LED luminaire producers before opening his own studio. Keeler, who helped Stackabl develop its first pendant collection, chose a neutral colour selection and ombre effect to show off the light's verticality and versatility. "Arranging them in a cluster can really define height and showcase the architecture of a space."

## DIMENSIONS

Length: 48"  
Diameter: 8"

## QTY OF LIGHTS

8" Diameter x 6

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum


## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI  
Input voltage:  
110-227 Vac  
Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours  
Lumen output at  
source per light  
disc: 585

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



## PLATE COLORS



## CANOPY



White

## CABLE



White

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop) 

STA  
CK  
ABL

# Hombre - Short

CONFIGURED BY  
Anthony Frank Keeler  
Toronto, CAN | 4.42.23 PM  
April 11, 2022



## DESCRIPTION

No stranger to the lighting world, Keeler worked for internationally acclaimed interior design studios and innovative LED luminaire producers before opening his own studio. Keeler, who helped Stackabl develop its first pendant collection, chose a neutral colour selection and ombre effect to show off the light's verticality and versatility. "Arranging them in a cluster can really define height and showcase the architecture of a space."

## DIMENSIONS

Length: 18"  
Diameter: 8"

## QTY OF LIGHTS

8" Diameter x 4

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum


## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI  
Input voltage:  
110-227 Vac  
Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours  
Lumen output at  
source per light  
disc: 585

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



## PLATE COLORS



## CANOPY



White

## CABLE



White

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop) 🌐

**STA  
CK  
ABL**

# 2020-Cigarette

CONFIGURED BY  
Sarah Coleman  
New York, USA | 6.39.03 PM  
April 12, 2022



## DESCRIPTION

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, "They speak for themselves – they're humorous."

## DIMENSIONS

Length: 48"  
Diameter: 8"

## QTY OF LIGHTS

8" Diameter x 6

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum


## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI  
Input voltage:  
110-227 Vac  
Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours  
Lumen output at  
source per light  
disc: 585


## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



## PLATE COLORS



## CANOPY



White

## CABLE



White

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop)

**STA  
CK  
ABL**

# 2021 - Shotgun Shell

CONFIGURED BY  
Sarah Coleman  
New York, USA | 6.39.03 PM  
April 12, 2022



## DESCRIPTION

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, "They speak for themselves – they're humorous."

## DIMENSIONS

Length: 32"  
Diameter: 5"

## QTY OF LIGHTS

5" Diameter x 3

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum

## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI  
Input voltage:  
110-227 Vac  
Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours  
Lumen output at  
source per light  
disc: 350

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



Senf  
33

Rost  
116

## PLATE COLORS



Clear

## CANOPY



White

## CABLE



Gold

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA




SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop) 

STA  
CK  
ABL

# 2022 - Pregnancy Test

CONFIGURED BY  
Sarah Coleman  
New York, USA | 12.47.43 PM  
April 13, 2022



## DESCRIPTION

Sarah Coleman is a New York City based visual artist who is inspired by both high luxury and everyday items. Nostalgia and play drives much of her subversive approach to making art. Leveraging designer materials, playing off logos, and honoring legacy brand archives, Coleman gives repurposed objects a chance at another life. To describe her color selection, Coleman says, "They speak for themselves – they're humorous."

## DIMENSIONS

Length: 48"  
Diameter: 5"

## QTY OF LIGHTS

5" Diameter x 6

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum

## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI  
Input voltage:  
110-227 Vac  
Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours  
Lumen output at  
source per light  
disc: 350

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



Petrol  
66



Rost  
3



Weiß  
171

## PLATE COLORS



Clear

## CANOPY



White

## CABLE



Blue

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop) 🌐

STA  
CK  
ABL



# Paco

CONFIGURED BY  
Wisse Trooster  
Amsterdam, NL | 3.19.35 PM  
April 10, 2022



## DESCRIPTION

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. "The lights match as a family," Trooster says, "in fact, the names are from Donald Duck's triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced."

## DIMENSIONS

Length: 13"  
Diameter: 8"

## QTY OF LIGHTS

5" Diameter x 2  
8" Diameter x 2

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum

## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI

Input voltage:  
110-227 Vac


Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours

Lumen output at  
source per light  
disc: 585/350

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



## PLATE COLORS



## CANOPY



## CABLE



## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop) 

**STA  
CK  
ABL**





# Luis

STACKABL LIGHTING

CONFIGURED BY  
Wisse Trooster  
Amsterdam, NL | 3.19.52 PM  
April 10, 2022



## DESCRIPTION

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. "The lights match as a family," Trooster says, "in fact, the names are from Donald Duck's triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced."

## DIMENSIONS

Length: 22"  
Diameter: 8"

## QTY OF LIGHTS

5" Diameter x 3  
8" Diameter x 4

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum

## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI

Input voltage:  
110-227 Vac

Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours

Lumen output at  
source per light  
disc: 585/350

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



Ozean  
30



WeiB  
24



Senf  
47

## PLATE COLORS



Clear

## CANOPY



White

## CABLE



White

## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop)

**STA  
CK  
ABL**



# Hugo

CONFIGURED BY  
Wisse Trooster  
Amsterdam, NL | 3.20.12 PM  
April 10, 2022



## DESCRIPTION

Wisse Trooster is a passionately curious designer from The Netherlands and works with a variety of materials and in multiple disciplines. "The lights match as a family," Trooster says, "in fact, the names are from Donald Duck's triplet nephews. Fun, they are interesting on their own but come to life when placed together. The close-to-black and white pattern seamlessly integrates the light discs and by keeping the lamp in one color, the lights became well-balanced."

## DIMENSIONS

Length: 18"  
Diameter: 8"

## QTY OF LIGHTS

5" Diameter x 4  
8" Diameter x 2

## LIGHT DISC TEMP.

2200 K / 3000 K

## APPLICATION

Dry indoor use only

## MATERIALS

- 100% upcycled felted merino wool
- Cast Acrylic
- Post Consumer Aluminum

## POWER

Power supply:  
TRIAC/ELV dimming,  
0-10v, DALI

Input voltage:  
110-227 Vac


Lamping:  
12W, 24VDC LED  
(PER UNIT), CRI 90,  
50,000 hours

Lumen output at  
source per light  
disc: 350/585

## ACOUSTICS

Excellent noise dampening, suitable for residential or commercial environments.

## FELT COLORS



## PLATE COLORS



## CANOPY



## CABLE



## MAINTENANCE

Lint roll occasionally to remove general airborne debris. Should soiling occur, spot clean with mild soap and lukewarm water. Avoid aggressive rubbing as this can continue the felting process and change the surface appearance of the felt.

ASSEMBLED IN  
TORONTO, CANADA



SCAN TO BUILD  
YOUR OWN

INQUIRE AT [STACKABL.SHOP](https://stackabl.shop)

**STA  
CK  
ABL**